


Comunitario

Diana Cabeza, 2002

THE COMUNITARIO BENCH, WITH OR WITHOUT BACKREST, IS DESIGNED AS AN OPEN AND NEUTRAL SUPPORT SYSTEM CATERING FOR DIFFERENT USE OPTIONS



- 1 | Linear compositions
- 2 | Robust and comfortable
- 3 | Very weather-resistant
- 4 | Adaptable



tropical wood FSC

Comunitario Bench

The Comunitario bench, with or without backrest, is designed as an open and neutral support system catering for different use options. It is a large bench for sitting, resting, getting together, a huge meeting point.

Five thick slats of FSC tropical wood form a broad surface area, where a sturdy backrest is fixed to guarantee the greatest solidity.

Materials and finishes

• Legs

Anti-rust steel sheet structure, powder-painted in black.

• Seat and backrest

Seat and backrest made of tropical wood with FSC Pure certificate, treated with oil in two components.

The FSC certified tropical wood comes from Africa or Central America.

This wood is obtained complying with all the legal and environmental regulations of the country of origin, controlling the chain of custody, ensuring the sustainability of the woods and minimizing the environmental impact.

The wood does not come from primary forests.

To protect the surface of the slats, we use an oil in two components. This is a dual-layer protection especially formulated for the long-lasting treatment of wooden elements for outdoors.

Its main attributes are:

- Conservation of the natural appearance and touch of the wood.
- Good penetration of the colour pigments thanks to nanotechnology.
- Long-lasting molecular action of the oil of the second layer.
- Powerful fungicide, breathable and water-repellent material.

- High protection against the effect of UVA rays and heat-resistant.
- Prevention against colour loss and surface scaling.
- Fast drying, ideal for industrial handling.
- It is an environment-friendly product, 100% free of volatile organic compounds and without isocyanate.

The entire anchorage screws of the slats is made of steel with antioxidant protection.

Maintenance

No functional maintenance is required except to preserve original wood colour.

Installation

The bench is freestanding, and does not need to be fixed. Even so, it has drill holes in the legs in case it is necessary to fix it to the paving.

Weights

3,00m without backrest: 461 Kg.
3,00m with backrest: 626 Kg.
4,00m without backrest: 548 Kg.
4,00m with backrest: 713 Kg.



Models

Sizes in cm.

